Safety Data Sheet



Prepared in Accordance with HCS 29 C.F.R. 1910.1200

1. Identification of the Substance/Mixture and the Company/Undertaking

1.1 Product Identifier 12505-SDS Revision Date: 06/25/2020

Product Name: Prime Cem Renew Supersedes Date: New SDS

1.2 Relevant identified uses of the substance or mixture and uses

advised against

he Industrial use.

1.3 Details of the supplier of the safety data sheet

Supplier: Prime Resins Inc.

2291 Plunkett Road Conyers, GA 30012

USA

Phone: 800-321-7212 Fax: 770-338-0936 www.primeresins.com

Datasheet Produced by: EHS@primeresins.com

1.4 Emergency telephone number: CHEMTREC +001 703 5273887 (Outside US)

CHEMTREC 1-800-424-9300 (Inside US)

2. Hazard Identification

2.1 Classification of the substance or mixture

Carcinogenicity, category 1A
Serious Eye Damage, category 1
STOT, single exposure, category 1
STOT, single exposure, category 3, RTI
Skin Irritation, category 2
Skin Sensitizer, category 1

2.2 Label elements

Symbol(s) of Product



Signal Word

Danger

Named Chemicals on Label

limestone, quartz (silicon dioxide), portland cement

HAZARD STATEMENTS Skin Irritation, category 2

| Skin Sensitizer, category 1 | H317 | May cause an allergic skin reaction. |
|----------------------------------------|--------------|-------------------------------------------------------------------------------------------------------------------------------------|
| Serious Eye Damage, category 1 H318 | | Causes serious eye damage. |
| | H335 | May cause respiratory irritation. |
| STOT, single exposure, category 3, RTI | | |
| Carcinogenicity, category 1A | H350-1A | May cause cancer. |
| STOT, single exposure, category 1 | H370 | Causes damage to organs. |
| PRECAUTION PHRASES | | |
| | P201 | Obtain special instructions before use. |
| | P202 | Do not handle until all safety precautions have been read and understood. |
| | P260 | Do not breathe dust/fume/gas/mist/vapours/spray. |
| | P264 | Wash hands thoroughly after handling. |
| | P280 | Wear protective gloves/protective clothing/eye protection/ face protection. |
| | P284 | Wear respiratory protection. |
| | P301+310 | IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. |
| | P302+352 | IF ON SKIN: Wash with plenty of soap and water. |
| | P304+340 | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. |
| | P305+351+338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. |
| | P307+311 | IF exposed, call a POISON CENTER or doctor/physician. |
| | P308+313 | IF exposed or concerned: Get medical advice/attention. |
| | P314 | Get medical advice/attention if you feel unwell. |

Causes skin irritation.

If skin irritation or rash occurs: Get medical advice/attention.

2.3 Other hazards

No Information

Results of PBT and vPvB assessment:

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

P333+313

H315

3. Composition/Information On Ingredients

3.2 Mixtures

Hazardous Ingredients

| <u>CAS-No.</u> | Chemical Name | <u>%</u> |
|----------------|--------------------------|----------|
| 14808-60-7 | quartz (silicon dioxide) | 25 - <50 |
| 65997-15-1 | portland cement | 25 - <50 |
| 1317-65-3 | limestone | 10 - <25 |

68131-74-8 fly ash 10 - <25 7778-18-9 calcium sulfate 2.5 - <10 546-93-0 magnesium carbonate 1.0 - <2.5

| CAS-No. | GHS Symbols | GHS Hazard Statements | M-Factors |
|------------|-------------|-----------------------|-----------|
| 14808-60-7 | GHS08 | H350-370 | 0 |
| 65997-15-1 | GHS05-GHS07 | H315-317-318-335 | 0 |
| 1317-65-3 | GHS07-GHS08 | H315-319-350-372 | 0 |
| 68131-74-8 | | | 0 |
| 7778-18-9 | | | 0 |
| 546-93-0 | GHS07 | H319 | 0 |

Additional Information: The text for GHS Hazard Statements shown above (if any) is given in Section 16.

4. First-aid Measures

4.1 Description of First Aid Measures

GENERAL NOTES: No Information

AFTER INHALATION: Consult a physician after significant exposure. Remove person to fresh air. If signs/symptoms continue, get medical attention.

AFTER SKIN CONTACT: Use a mild soap if available. Wash off with soap and plenty of water. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

AFTER EYE CONTACT: Rinse thoroughly with plenty of water, also under the eyelids. Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Remove contact lenses. If eye irritation persists, consult a specialist. **AFTER INGESTION:** Do NOT induce vomiting. Never give anything by mouth to an unconscious person. If swallowed, call a poison control centre or doctor immediately.

Self protection of the first aider:

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

Corrosive to skin and eyes. Irritating to the respiratory tract. Irritating to respiratory system.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

5. Fire-fighting Measures

5.1 Extinguishing Media:

Carbon Dioxide, Dry Chemical, Foam, Water Fog

FOR SAFETY REASONS NOT TO BE USED: Alcohol, Alcohol based solutions, any other media not listed above.

5.2 Special hazards arising from the substance or mixture

No Information

5.3 Advice for firefighters

The product is not flammable.

Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Use personal protective equipment. Sweep up to prevent slipping hazard. Forms slippery/greasy layers with water.

6.2 Environmental precautions

No Information

6.3 Methods and material for containment and cleaning up

No special environmental precautions required.

6.4 Reference to other sections

Please refer to disposal requirements or country specific disposal requirements for this material. See Section 13 for further information.

7. Handling and Storage

7.1 Precautions for safe handling

INSTRUCTIONS FOR SAFE HANDLING: Use only in area provided with appropriate exhaust ventilation. Provide sufficient air exchange and/or exhaust in work rooms. Wear personal protective equipment. Avoid dust formation. Protect from moisture. Avoid breathing dust or vapor.

PROTECTION AND HYGIENE MEASURES: Wear suitable gloves and eye/face protection.

7.2 Conditions for safe storage, including any incompatibilities

CONDITIONS TO AVOID: Exposure to moisture. Exposure to air or moisture over prolonged periods. **STORAGE CONDITIONS:** Keep containers tightly closed in a dry, cool and well-ventilated place.

7.3 Specific end use(s)

No specific advice for end use available.

8. Exposure Controls/Personal Protection

8.1 Control parameters

Ingredients with Occupational Exposure Limits (US)

| <u>Name</u> | CAS-No. | ACGIH TWA | ACGIH STEL | ACGIH Ceiling |
|--------------------------|------------|-----------------|------------|---------------|
| quartz (silicon dioxide) | 14808-60-7 | 0.025 MGM3 | | |
| portland cement | 65997-15-1 | 1 MGM3 | | |
| limestone | 1317-65-3 | 10.00 MG/M3 | | |
| fly ash | 68131-74-8 | 10.00 MG/M3 | | |
| calcium sulfate | 7778-18-9 | 10 MGM3 10 MGM3 | | |
| magnesium carbonate | 546-93-0 | | | |
| | | | | |

| <u>Name</u> | CAS-No. | OSHA PEL | OSHA STEL |
|--------------------------|------------|----------------------------------------------------|-----------|
| quartz (silicon dioxide) | 14808-60-7 | 0.05 MGM3 | |
| portland cement | 65997-15-1 | 5 MGM3 15 MGM3 | |
| limestone | 1317-65-3 | 5 MGM3 15 MGM3 5 MGM3 15 MGM3 5 MGM3 15 MGM3 | |
| fly ash | 68131-74-8 | 10.00 MG/M3 | |
| calcium sulfate | 7778-18-9 | 5 MGM3 15 MGM3 | |
| magnesium carbonate | 546-93-0 | 5 MGM3 15 MGM3 | |

FURTHER INFORMATION: Refer to the regulatory exposure limits for the workforce enforced in each country.

8.2 Exposure controls

Personal Protection

RESPIRATORY PROTECTION: Use only respiratory protection equipment with CE-symbol including four digit test number.

Effective dust mask.

EYE PROTECTION: Safety glasses with side-shields. Avoid contact with eyes.

HAND PROTECTION: Protective gloves. Long sleeved clothing. Remove and wash contaminated clothing before re-use.

Not determined

OTHER PROTECTIVE EQUIPMENT: No Information

ENGINEERING CONTROLS: No Information

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Grey
Physical State Solid
Odor None

Odor threshold Not determined

pH Not determined

Melting point / freezing point (°C)

Not determined

Boiling point/range (°C) N.D. - N.D.

Flash Point, (°F / °C)

Not determined

Evaporation rate Not determined

Upper/lower flammability or explosive Not determined

limits - %(V)

Flammability (solid, gas)

Vapour Pressure Not determined

Vapour density Not determined

Relative density Not determined

Solubility in / Miscibility with water Not determined

Partition coefficient: n-octanol/water Not determined

Auto-ignition temperature (°C) Not determined

Decomposition temperature (°C) Not determined

Viscosity Not determined

Explosive properties Not determined

Oxidising properties Not determined

9.2 Other information

VOC Content g/l:

Not determined

Specific Gravity (g/cm3) 2.800

10. Stability and Reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4 Conditions to avoid

Exposure to moisture. Exposure to air or moisture over prolonged periods.

10.5 Incompatible materials

Do not store near acids. Strong oxidizing agents.

10.6 Hazardous decomposition products

No Information

11. Toxicological Information

11.1 Information on toxicological effects

Acute Toxicity:

Oral LD50: No information available.

Inhalation LC50: No information available.

Irritation: No information available.

Corrosivity: No information available.

Sensitization: No information available.

Repeated dose toxicity: No information available.

Carcinogenicity: No information available.

Mutagenicity: No information available.

Toxicity for reproduction: No information available.

STOT-single exposure: No information available.

Aspiration hazard: No information available.

Aspiration hazard: No information available.

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

No information available.

| CAS-No. | Chemical Name | Oral LD50 | Dermal LD50 | Vapor LC50 | Gas LC50 | Dust/Mist LC50 |
|------------|--------------------------|-------------|-------------|------------|----------|----------------|
| 14808-60-7 | quartz (silicon dioxide) | >2000 mg/kg | | | 0.000 | 0.000 |

Additional Information:

STOT-repeated exposure:

The cement contained within this product may cause dermal sensitization due to the potential presence of trace amounts of hexavalent chromium. This product may contain Quartz (silicon dioxide), which is listed by IARC as a known carcinogenic to humans (Group 1). This classification is relevant when exposed to Quartz (silicon dioxide) in dust or powder form only, including cured product that is subject to sanding, grinding, cutting, or other surface preparation activities.

12. Ecological Information

12.1 Toxicity:

EC50 48hr (Daphnia):

IC50 72hr (Algae):

No information

No information

No information

12.2 Persistence and degradability: No information

12.3 Bioaccumulative potential: No information

12.4 Mobility in soil: No information

12.5 Results of PBT and vPvB The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

assessment:

12.6 Other adverse effects: No information

| CAS-No. | Chemical Name | EC50 48hr | <u>IC50 72hr</u> | <u>LC50 96hr</u> |
|------------|--------------------------|----------------|------------------|------------------|
| 14808-60-7 | quartz (silicon dioxide) | No information | No information | |
| 65997-15-1 | portland cement | No information | No information | |
| 1317-65-3 | limestone | No information | No information | |
| 68131-74-8 | fly ash | No information | No information | |
| 7778-18-9 | calcium sulfate | No information | No information | |
| 546-93-0 | magnesium carbonate | No information | No information | |
| | | | | |

13. Disposal Considerations

13.1 WASTE TREATMENT METHODS: Waste codes should be assigned by the user based on the application for which the product was used. Dispose of in accordance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport Information

14.1 UN number Not applicable

14.2 UN proper shipping nameNot regulated for transport according to U.S. DOT, ADR/RID, IMDG,

and IATA regulations.

Technical name Not applicable 14.3 Transport hazard class(es) Not applicable Subsidiary shipping hazard Not applicable 14.4 Packing group Not applicable 14.5 Environmental hazards Not applicable 14.6 Special precautions for user Not applicable EmS-No.: Not applicable 14.7 Transport in bulk according to Annex II Not applicable of MARPOL 73/78 and the IBC code

15. Regulatory Information

^{15.1} Safety, health and environmental regulations/legislation for the substance or mixture:

U.S. Federal Regulations: As follows -

CERCLA - Sara Hazard Category

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

Carcinogenicity, Skin Corrosion or Irritation, Respiratory or Skin Sensitization, Serious eye damage or eye irritation, Specific target organ toxicity (single or repeated exposure)

Sara Section 313:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the U.S. Superfund Amendment and Reauthorization Act (SARA) of 1986 and 40 CFR part 372:

No Sara 313 components exist in this product.

Toxic Substances Control Act:

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:

No TSCA 12(b) components exist in this product.

U.S. Clean Air Act:

EPA Coating Category:

EPA VOC Content Limit (g/l):

Product VOC Content (g/l)

Thinning Recommendations:

Application Recommendations:

Not applicable

Not applicable

U.S. State Regulations: As follows -

New Jersey Right-to-Know:

The following materials are non-hazardous, but are among the top five components in this product.

<u>Chemical Name</u> <u>CAS-No.</u>

Proprietary ingredient

Pennsylvania Right-To-Know

The following non-hazardous ingredients are present in the product at greater than 3%.

<u>Chemical Name</u> <u>CAS-No.</u>

Proprietary ingredient

dolomite 16389-88-1

California Proposition 65:

WARNING: Cancer - www.P65Warnings.ca.gov

No Proposition 65 Reproductive Toxins exist in this product.

International Regulations: As follows -

* Canadian DSL:

All chemical ingredients included on inventory or exempt.

^{*} As per the federal EPA definition for coating categories in 40 CFR 59.401.

^{**} Grams of VOC per liter of coating product as applied (mixture of Part A and Part B) per ASTM D2369 Method E.

15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

16. Other Information

Text for GHS Hazard Statements shown in Section 3 describing each ingredient:

H315
Causes skin irritation.
H317
May cause an allergic skin reaction.
H318
Causes serious eye damage.
H319
Causes serious eye irritation.
H335
May cause respiratory irritation.
H350
May cause cancer.
H370
Causes damage to organs.

H372 Causes damage to organs through prolonged or repeated exposure.

Reasons for revision

No Information

List of References:

This Safety Data Sheet was compiled with data and information from the following sources:

The Ariel Regulatory Database provided by the 3E Corporation in Copenhagen, Denmark; European Union Commission Regulation No. 1907/2006 on REACH as amended within Commission Regulation (EU) 2015/830;

European Union (EC) Regulation No. 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP Regulation) and subsequent technical progress adaptations (ATP); EU Council Decision 2000/532/EC and its Annex entitled "List of Wastes".

Acronym & Abbreviation Key:

CLP Classification, Labeling & Packaging Regulation

EC European Commission
EU European Union
US United States

CAS Chemical Abstract Service

EINECS European Inventory of Existing Chemical Substances

REACH Registration, Evaluation, Authorization of Chemicals Regulation

GHS Globally Harmonized System of Classification and Labeling of Chemicals

LTEL Long term exposure limit
STEL Short term exposure limit
OEL Occupational exposure limit

ppm Parts per million

mg/m3 Milligrams per cubic meter
TLV Threshold Limit Value

ACGIH American Conference of Governmental Industrial Hygienists

OSHA Occupational Safety & Health Administration

PEL Permissible Exposure Limits
VOC Volatile organic compounds

g/l Grams per liter

mg/kg Milligrams per kilogram

N/A Not applicable LD50 Lethal dose at 50%

LC50 Lethal concentration at 50%

EC50 Half maximal effective concentration
IC50 Half maximal inhibitory concentration
PBT Persistent bioaccumulative toxic chemical

vPvB Very persistent and very bioaccumulative

EEC European Economic Community

ADR International Transport of Dangerous Goods by Road RID International Transport of Dangerous Goods by Rail

UN United Nations

IMDG International Maritime Dangerous Goods Code
IATA International Air Transport Association

MARPOL International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978

IBC International Bulk Container RTI Respiratory Tract Irritation

NE Narcotic Effects

For further information, please contact: Technical Services Department

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product or where instructions and recommendations are not followed.